Blocks and bricks

Specifications Page 1



| 100mm range | Number | of units per pallet |
|-------------|--|---------------------|
| 190 | Partition No. 10-01 | 158 |
| 190 | Solid Partition No. 10-31 | 126 |
| 390 | Half Height Partition No. 10-71 | 315 |
| 90 390 | Solid Half Height Partition No. 10-83 | 315 |

Fractions of 3/4, 1/2 and 1/4 available.

| 150mm range | | Number of units per pallet |
|-------------|--------------------------------|----------------------------|
| 190 | Double Corner No. 15-01 | 95 |
| 90 | Half Height Solid No. 15-83 | 152 |

Fractions of 3/4, 1/2 and 1/4 available.

Honing

Our exclusive process whereby product face is polished exposing aggregates and producing a stylish finish. Thickness may be reduced due to honing. Blocks and bricks honed to order.

Weathered/Shot Blast

Ask about our exclusive weathered/shot blast finish which produces a textured aged appearance.

BEST Coloured masonry

Ask about our coloured range of masonry blocks and bricks. We are able to produce our masonry units in the same range of colours as the Traditional Paver range. Made to order, minimum quantities apply.

| 200mm range | Number | of units per pallet |
|-------------|--|---------------------|
| 190 390 | Double Corner No. 20-01 | 90 |
| 90 390 | Double Corner Half Height No. 20-71 | 150 |
| 40 | Capping Tile No. 50-31 | 300 |
| 190 390 | Knock-out Bond Beam No. 20-20 | 75 |
| 190 | Solid Double Corner No. 20-31 | 60 |

Fractions of 3/4, 1/2 and 1/4 available.

Blocks and bricks

Specifications Page 2



| Bricks Number of | | of units per pallet | |
|------------------|--|---------------------|--|
| 75 110 230 | Bestex with Frog No. 120-75 | 480 | |
| 75 | Traditional Brick with Frog No Code | 480 | |

| Blocks to be grout filled | | Number of units per pallet |
|---------------------------|-----------------------------|----------------------------|
| 190 | Double U Block No. 20-91 | 75 |

| Lintels | | Number of units per pallet |
|---------|-------------------------------|----------------------------|
| 190 390 | Deep Lintel Sash No. 20-14 | 110 |
| 190 | Lintel Sash No. 20-15 | 240 |

| Split Face blocks | | Number of units per pallet |
|---|------------------------------|----------------------------|
| 40 90 90 | Quarter Height No. 10-117 | 600 |
| 90 | Half Height No. 10-109 | 252 |
| 4 4 190 - D- A 1 - D- A | Full Height No. 10-101 | 120 |

Honing

Our exclusive process whereby product face is polished exposing aggregates and producing a stylish finish. Thickness may be reduced due to honing. Blocks and bricks honed to order.

Weathered/Shot Blast

Ask about our exclusive weathered/shot blast finish which produces a textured aged appearance.

BEST Coloured masonry

Ask about our coloured range of masonry blocks and bricks. We are able to produce our masonry units in the same range of colours as the Traditional Paver range. Made to order, minimum quantities apply.

| Footing blocks | | Number of units per pallet |
|----------------|--------------------------|----------------------------|
| 190 | Pier Block No. 10-33 | 240 |
| 190 | Pier Block No. 20-33 | 120 |
| 290 290 | Base Block No. 30-350 | 60 |
| 190 190 | Spacer No. 50-33 | 600 |



Accessories Specifications



| I.P. Surrounds | | Colour range |
|----------------|---|-----------------|
| 340 340 | Inspection Point Surrounds 340 x 340 x 50mm Internal Diameter - 235mm | Charcoal Red |